

## IN THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently amended) An electroluminescence display device comprising:

a substrate;

an insulating film formed over the substrate;

an ~~organic~~ electroluminescence ~~display~~ element formed over the substrate, the electroluminescence element comprising: ; and

an anode;

an emission layer formed over the anode;

a cathode formed over the emission layer;

a lens formed over the ~~organic~~ electroluminescence ~~display~~ element~~[[,]]~~ ; and

an adhesive in contact with the insulating film and the lens,

wherein the lens has a spherical surface to which the ~~organic~~ electroluminescence ~~display~~ element emits a light, ~~and~~

~~wherein the substrate and the lens are bonded with an adhesive.~~

2. (Currently amended) An electroluminescence display device according to claim 1, wherein said ~~organic~~ electroluminescence ~~display~~ element is electrically connected to ~~comprises~~ plural thin film transistors formed over the substrate.

3. (Currently amended) An electroluminescence display device according to claim 1, wherein said emission layer ~~organic electroluminescence display element~~ comprises an organic

electroluminescence material or an inorganic electroluminescence material. a pixel portion and a driver circuit formed over the substrate.

4. (Previously Presented) An electroluminescence display device according to claim 1, wherein said electroluminescence display device is incorporated into a camera selected from the group consisting of a video camera and a digital camera.

5. (Currently amended) An electroluminescence display device comprising:  
a substrate;  
an insulating film formed over the substrate;  
an ~~organic~~ electroluminescence display element formed over the substrate, the electroluminescence element comprising: ; and

an anode;

an emission layer formed over the anode;

a cathode formed over the emission layer;

a lens formed over the ~~organic-EL~~ electroluminescence display element[[,]] ; and

an adhesive in contact with the insulating film and the lens,

wherein the lens has a spherical surface to which the ~~organic~~ electroluminescence display element emits a light, and

wherein the lens magnifies an image of an object displayed by the ~~organic~~ electroluminescence display element.

6. (Currently amended) An electroluminescence display device according to claim 5, wherein

said ~~organic~~ electroluminescence display element is electrically connected to ~~comprises~~ plural thin film transistors formed over the substrate.

7. (Currently amended) An electroluminescence display device according to claim 5, wherein said emission layer ~~organic electroluminescence display element~~ comprises an organic electroluminescence material or an inorganic electroluminescence material, ~~a pixel portion and a driver circuit formed over the substrate.~~

8. (Previously Presented) An electroluminescence display device according to claim 5, wherein said electroluminescence display device is incorporated into a camera selected from the group consisting of a video camera and a digital camera.

9. (Currently amended) An electroluminescence display device comprising:  
a substrate;  
an insulating film formed over the substrate;  
an ~~organic~~ electroluminescence display element formed over the substrate, the electroluminescence element comprising: ; and  
an anode;  
an emission layer formed over the anode;  
a cathode formed over the emission layer;  
a lens formed over the ~~organic~~ electroluminescence display element [[,]] ; and  
an adhesive in contact with the insulating film and the lens,  
wherein the lens has a spherical surface to which the ~~organic~~ electroluminescence display

element emits a light, and

wherein the lens magnifies an image of an object displayed by the ~~organic~~ electroluminescence ~~display~~ element and projects the magnified image upon an eye of a user.

10. (Currently amended) An electroluminescence display device according to claim 9, wherein said ~~organic~~ electroluminescence ~~display~~ element is electrically connected to ~~comprises~~ plural thin film transistors formed over the substrate.

11. (Currently amended) An electroluminescence display device according to claim 9, wherein said emission layer ~~organic electroluminescence display element~~ comprises an organic electroluminescence material or an inorganic electroluminescence material, ~~a pixel portion and a driver circuit formed over the substrate~~.

12. (Previously Presented) An electroluminescence display device according to claim 9, wherein said electroluminescence display device is incorporated into a camera selected from the group consisting of a video camera and a digital camera.

13. (Currently amended) An electroluminescence display device comprising:  
a substrate;  
an electroluminescence ~~display~~ element formed over the substrate, the electroluminescence element comprising: ; and  
an anode;  
an emission layer formed over the anode;

a cathode formed over the emission layer;

a lens formed over the electroluminescence display element~~[[,]]~~ ; and

an adhesive in contact with the substrate and the lens,

wherein the lens has a spherical surface to which the electroluminescence display element emits a light, ~~and~~

~~wherein the lens magnifies an image of an object displayed by the electroluminescence display element.~~

14. (Currently amended) An electroluminescence display device according to claim 13, wherein said electroluminescence display element is electrically connected to ~~comprises~~ plural thin film transistors formed over the substrate.

15. (Currently amended) An electroluminescence display device according to claim 13, wherein said emission layer ~~electroluminescence display element~~ comprises an organic electroluminescence material or an inorganic electroluminescence material. ~~a pixel portion and a driver circuit formed over the substrate.~~

16. (Previously Presented) An electroluminescence display device according to claim 13, wherein said electroluminescence display device is incorporated into a camera selected from the group consisting of a video camera and a digital camera.

17 – 19. (Canceled)

20. (Previously Presented) An electroluminescence display device according to claim 1, wherein the lens has one spherical surface.

21. (Previously Presented) An electroluminescence display device according to claim 5, wherein the lens has one spherical surface.

22. (Previously Presented) An electroluminescence display device according to claim 9, wherein the lens has one spherical surface.

23. (Previously Presented) An electroluminescence display device according to claim 13, wherein the lens has one spherical surface.

24. (Previously Presented) An electroluminescence display device according to claim 1, wherein the lens acts as a cover member.

25. (Previously Presented) An electroluminescence display device according to claim 5, wherein the lens acts as a cover member.

26. (Previously Presented) An electroluminescence display device according to claim 9, wherein the lens acts as a cover member.

27. (Previously Presented) An electroluminescence display device according to claim 13, wherein the lens acts as a cover member.

28. (Previously Presented) An electroluminescence display device according to claim 24, wherein the cover member is one selected from the group consisting of a glass plate, an aluminum plate, a stainless steel plate, a FRP (fiberglass-reinforced plastics) plate, a PVF (polyvinyl fluoride) film, a Mylar film, a polyester film and an acrylic film.

29. (Previously Presented) An electroluminescence display device according to claim 25, wherein the cover member is one selected from the group consisting of a glass plate, an aluminum plate, a stainless steel plate, a FRP (fiberglass-reinforced plastics) plate, a PVF (polyvinyl fluoride) film, a Mylar film, a polyester film and an acrylic film.

30. (Previously Presented) An electroluminescence display device according to claim 26, wherein the cover member is one selected from the group consisting of a glass plate, an aluminum plate, a stainless steel plate, a FRP (fiberglass-reinforced plastics) plate, a PVF (polyvinyl fluoride) film, a Mylar film, a polyester film and an acrylic film.

31. (Previously Presented) An electroluminescence display device according to claim 27, wherein the cover member is one selected from the group consisting of a glass plate, an aluminum plate, a stainless steel plate, a FRP (fiberglass-reinforced plastics) plate, a PVF (polyvinyl fluoride) film, a Mylar film, a polyester film and an acrylic film.